

**JOURNAL OF EXPERIMENTAL MEDICINE**  
**VOL. 193, NO. 5; MARCH 5, 2001**

CONTENTS	
COMMENTARY	
Raymond M. Welsh Assessing CD8 T Cell Number and Dysfunction in the Presence of Antigen	F19-F22
ARTICLES	
Brian M. Baker, Richard V. Turner, Susan J. Gagnon, Don C. Wiley, and William E. Biddison Identification of a Crucial Energetic Footprint on the $\alpha 1$ Helix of Human Histocompatibility Leukocyte Antigen (HLA)-A2 That Provides Functional Interactions for Recognition by Tax Peptide/HLA-A2-specific T Cell Receptors	551-562
Lyn Is Essential for Fc Receptor III-mediated Systemic Anaphylaxis but Not for the Arthus Reaction Takae Yuasa, Masao Ono, Takeshi Watanabe, and Toshiyuki Takai	563-572
BRIEF DEFINITIVE REPORTS	
Aberrant in vivo t helper type 2 cell response and impaired eosinophil recruitment in cc chemokine receptor 8 knockout mice Stephen W. Chensue, Nicholas W. Lukacs, Tong-Yuan Yang, Xiaozhou Shang, Kirsten A. Frait, Steven L. Kunkel, Ted Kung, Maria T. Wiekowski, Joseph A. Hedrick, Donald N. Cook, Alessandra Zingoni, Satwant K. Narula, Albert Zlotnik, Franck J. Barrat, Anne O'Garra, Monica Napolitano, and Sergio A. Lira	573 - 584
High constitutive glucocorticoid receptor $\beta$ in human neutrophils enables them to reduce their spontaneous rate of cell death in response to corticosteroids Ian Strickland, Kevin Kisich, Pia J. Hauk, Alessandra Vottero, George P. Chrousos, Dwight J. Klemm, and Donald Y.M. Leung	585-594
Antiviral CD8 <sup>+</sup> T Cell Responses in Neonatal Mice: Susceptibility to Polyoma Virus-induced Tumors Is Associated with Lack of Cytotoxic Function by Viral Antigen-specific T Cells Janice M. Moser, John D. Altman, and Aron E. Lukacher	595-606
Selective Inhibition of Vascular Endothelial Growth Factor-mediated Angiogenesis by Cyclosporin A: Roles of the Nuclear Factor of Activated T Cells and Cyclooxygenase 2 Gabriela L. Hernández, Olga V. Volpert, Miguel A. Íñiguez, Elisa Lorenzo, Sara Martínez-Martínez, Raquel Grau, Manuel Fresno, and Juan Miguel Redondo	607-620
Molecular Basis for Hematopoietic/Mesenchymal Interaction during Initiation of Peyer's Patch Organogenesis Kenya Honda, Hiroyasu Nakano, Hisahiro Yoshida, Satomi Nishikawa, Paul Rennert, Koichi Ikuta, Masakatsu Tamechika, Kazuhito Yamaguchi, Tetsuo Fukumoto, Tsutomu Chiba, and Shin-Ichi Nishikawa	621-630
BRIEF DEFINITIVE REPORTS	
Essential Role of Nuclear Factor (NF)- $\kappa$ B-inducing Kinase and Inhibitor of	631-636

B (IB) Kinase in NFB Activation through Lymphotoxin $\beta$ Receptor, but Not through Tumor Necrosis Factor Receptor I Akemi Matsushima, Tsuneyasu Kaisho, Paul D. Rennert, Hiroyasu Nakano, Kyoko Kurosawa, Daisuke Uchida, Kiyoshi Takeda, Shizuo Akira, and Mitsuru Matsumoto	
Independence of Herpesvirus-induced T Cell Lymphoma from Viral Cyclin D Homologue Armin Ensser, Diana Glykofrydes, Henk Niphuis, Eva M. Kuhn, Brigitte Rosenwirth, Jonathan L. Heeney, Gerald Niedobitek, Ingrid Müller-Fleckenstein, and Bernhard Fleckenstein	637-642
An Instructive Component in T Helper Cell Type 2 (Th2) Development Mediated by GATA-3 J. David Farrar, Wenjun Ouyang, Max Löhning, Mario Assenmacher, Andreas Radbruch, Osami Kanagawa, and Kenneth M. Murphy	643-650
Critical Contribution of Tumor Necrosis Factor-related Apoptosis-inducing Ligand (TRAIL) to Apoptosis of Human CD4 <sup>+</sup> T Cells in HIV-1-infected hu-PBL-NOD-SCID Mice Yoshiharu Miura, Naoko Misawa, Naoyoshi Maeda, Yoshio Inagaki, Yuetsu Tanaka, Mamoru Ito, Nobuhiko Kayagaki, Naoki Yamamoto, Hideo Yagita, Hidehiro Mizusawa, and Yoshio Koyanagi	651-660
<b>VOL. 193, NO. 6; MAR 19, 2001</b>	
CONTENTS	
COMMENTARY	
ARTICLES	
Inflammatory cells and cancer: think different! Lisa M. Coussens and Zena Werb	F23-F26
ARTICLES	
Tumor necrosis factor-related apoptosis-inducing ligand (trail) contributes to interferon $\gamma$ dependent natural killer cell protection from tumor metastasis Mark J. Smyth, Erika Cretney, Kazuyoshi Takeda, Robert H. Wiltout, Lisa M. Sedger, Nobuhiko Kayagaki, Hideo Yagita, and Ko Okumura	661-670
A dendritic cell-specific intercellular adhesion molecule 3-grabbing nonintegrin (dc-sign)-related protein is highly expressed on human liver sinusoidal endothelial cells and promotes hiv-1 infection Arman A. Bashirova, Teunis B.H. Geijtenbeek, Gerard C.F. van Duijnhoven, Sandra J. van Vliet, Jeroen B.G. Eilering, Maureen P. Martin, Li Wu, Thomas D. Martin, Nicola Viebig, Percy A. Knolle, Vineet N. Kewal Ramani, Yvette van Kooyk, and Mary Carrington	671-678
Pivotal role of signal transducer and activator of transcription (stat)4 and stat6 in the innate immune response during sepsis Akihiro Matsukawa, Mark H. Kaplan, Cory M. Hogaboam, Nicholas W. Lukacs, and Steven L. Kunkel	679-688
Evidence that $\gamma\delta$ versus $\alpha\beta$ t cell fate determination is initiated independently of t cell receptor signaling Joonsoo Kang, Ariane Volkmann, and David H. Raulet	689-698
Insertion of phosphoglycerine kinase (pgk)-neo 5' of j 1 dramatically	699-712

enhances $\nu\lambda 1$ rearrangement Tianhe Sun and Ursula Storb	
Absence of monocyte chemoattractant protein 1 in mice leads to decreased local macrophage recruitment and antigen-specific t helper cell type 1 immune response in experimental autoimmune encephalomyelitis DeRen Huang, Jintang Wang, Pia Kivisakk, Barrett J. Rollins, and Richard M. Ransohoff	713-726
Colony-stimulating factor 1 promotes progression of mammary tumors to malignancy Elaine Y. Lin, Andrew V. Nguyen, Robert G. Russell, and Jeffrey W. Pollard	727-740
Conditional vascular cell adhesion molecule 1 deletion in mice: impaired lymphocyte migration to bone marrow Pandelakis A. Koni, Sunil K. Joshi, Ulla-Angela Temann, Dian Olson, Linda Burkly, and Richard A. Flavell	741-754
Neonatally induced inactivation of the vascular cell adhesion molecule 1 gene impairs b cell localization and t cell-dependent humoral immune response Christoph E. Leuker, Mark Labow, Werner Müller, and Norbert Wagner	755-768
<b>BRIEF DEFINITIVE REPORTS</b>	
Induction of a diverse t cell receptor repertoire by the helix-loop-helix proteins e2a and heb in nonlymphoid cells Jimut Kanti Ghosh, William J. Romanow, and Cornelis Murre	769-776
The inhibition of arginase by $n^w$ hydroxy-l-arginine controls the growth of leishmania inside macrophages Virginia Iniesta, L. Carlos Gómez-Nieto, and Inés Corraliza	777-784
<b>VOL. 193, NO. 8; APRIL 16, 2001</b>	
<b>CONTENTS</b>	
<b>ARTICLES</b>	
Cytokines regulate proteolysis in major histocompatibility complex class II-dependent antigen presentation by dendritic cells Edda Fiebiger, Paul Meraner, Ekkehard Weber, I-Fei Fang, Georg Stingl, Hidde Ploegh, and Dieter Maurer	881
The mouse CD1d-restricted repertoire is dominated by a few autoreactive T cell receptor families Se-Ho Park, Angela Weiss, Kainel Benlagha, Tim Kyin, Lue Tepon, and Albert Bendelac.	893
Perivascular macrophages are the primary cell type productively infected by simian immunodeficiency virus in the brains of macaques: implications for the neuropathogenesis of AIDS Kenneth C. Williams, Sarah Corey, Susan V. Westmoreland, Dolog Panley, Heather Knight, Colin deBakker, Xavier Alvarez, and Andreiv A. Lackner.	905
Telomere shortening accompanies increased cell cycle activity during serial transplantation of hematopoietic stem cells Richard C. Allsopp, Sanzuel Cheshier, and Irving L. Weissman.	917
Absence of mitochondrial superoxide dismutase results in a murine	925

hemolytic anemia responsive to therapy with a catalytic antioxidant Jeff S. Friedman, Vivienne I. Rebel, Ryan Derby, Kirsten Beli, Ting-Ting Huang, Frans A. Kuypers, Charles J. Epstein, and Steven J. Burakoff.	
Identification of a clilamydial protease-Ue activity factor responsible for the degradation of host transcription factors Guangning Zhong, Peifi Fati, Hezhao fi, Feng Dong, and Yanqing Hitang.	935
Differential signaling and tumor necrosis factor receptor-associated factor (TKAF) degradation mediated by CD40 and the EpsteinBarr virus oncoprotein latent nienibrane protein 1 (LMP1) Kevin D. Brown, Bruce S. Hostager, and Gail A. Bishop.	943
PAG3/ Papoç /KIAA0400, a GTPase-activating protein for ADP-ribosylation factor (APF), regulates ARF6 in Fcy-V receptor-mediated phagocytosis of macrophages Hiroshí Uchida, Akiko Kondo, Yasunori Yoshimura, Yuichi Mazaki, and Hisataka Sabe.	955
The elinical cotirse of experiniental autoiminune encephalomyelitis and inflamation is controlled by the expression of M40 within the central nervous system Burkitard Becher, Brigit G. Durell, Ainy V. Miga, William F. Hickey, and Randolph J. Noelle.	967
<b>BRIEF DEFINITIVE REPORTS</b>	
Donor-derived IP-10 initiates development of acute allograft rejection Wayne W. Hancock, Wei Gao, Vilinos Csizniadia, Kerrie L. Faia, Nida Shenzineri, and Andrew D. Luster.	975
Protection Croin respiratory virus infections can be niediated by antigenspecific CD <sup>4</sup> T cells thiat persist in the lungs Robert J. Hogan, Weínzin Zhong, Edivard J. Usherivood, Tres Cookenhani, Alan D. Roberts, and David L. Woodland.	981
Migration and function of antigen-prinied nonpolarized T lyiilpliocytes ni vivo Gíandomenica lezzi, Doris Scheídegger, and Antonio Lanzaveccitia.	987
<b>VOL. 193, NO. 9; MAY 7, 2001</b>	
<b>CONTENTS</b>	
<b>COMMENTARY</b>	
Fatal auraction evaded: how pathogenic bacteria resist cationic polypeptides Tomas Ganz.	F31
<b>ARTICLES</b>	
Testicular damage by microcirculatory disrtiption and colonization of immune~privileged site during Borrelia crocidurae infection Alireza Shamaei-Tousi, Ola Collin, Anders Bergh, and Sven Bergstrón.	995
Vascular endothelial growth factor and angiopoietin-1 stimulate postnatal hemato-poiesis by recruitment of vasculogenic and hematopoietic stem cells Koíchi Hattori, Sergio Días, Beate Heissig, Neil R. Hackett, David Lyden, Masatoshi Tateno, Daniel J. Hicklin, Zheriping Zhu, Larry Witte, Ronald G. Crystal, Malcolm A.S. Moore, and Shahin Rafri.	1005
The TprK protein of Treponema pallidum is periplas-mic and is not a target	1015

of opsonic antibody or protective immunity Karsten R.O. Hazlett, Timothy J. Sellati, Tung T. Nguyen, David L. Cox, Michael L. Clawson, Melissa J. Caimano, and Justín D. Radolf.	
Hypoxia-Inducible factor 1-dependent induction of intestinal trefoil factor protects barrier function during hypoxia Glenn T. Furuta, Jerrold R. Turner, Cormac T. Taylor, Robert M. Hershberg, Katrina Comerford, Sailaja Narravula, Daniel K. Podolsky, and Sean P. Colgan.	1027
The adenylate cyclase toxin of Bordetella pertussis binds to target cells via the $\alpha_M\beta_2$ integrin (CD11b/CD18) Pierre Guernonprez, Nadia Khelef, Éric Blouin, Philippe Rieu, Paola Ricciardi-Castagnoli, Nicole Guiso, Daniel Ladant, and Claude Leclerc.	1035
An endoplasmic reticulum retention function for the cytoplasmic tail of the human pre-T cell receptor (TCK) $\alpha$ chain: potential role in the regulation of cell surface pre-TCR expression levels Yolanda R. Carrasco, Alinudena R. Ramiro, César Trigueros, Virginia G. de Yébenes, Marina García-Peydré, and María L. Toribio.	1045
Sulfated tyrosines contribute to the formation of the C5a docking site of the human C5a anaphylatoxin receptor Michael Farzan, Christine E. Schnitzler, Natalya Vasilieva, Doris Lxung, Jens Kulin, Craig Gerard, Norma P. Gerard, and Hyeryun Choe.	1059
Staphylococcus aureus resistance to human defensins and evasion of neutrophil killing via the novel virulence factor MprF is based on modification of membrane lipids with L-lysine Andreas Peschel, Ralph W. Jack, Michael Otto, L. Vincent Collins, Petra Staubitz, Graeme Nicholson, Hubert Kalbacher, Willem F. Nieuwenhuizen, Günther Jung, Andrej Tarkovskii, Kok P. M. van Kessel, and Jos A.G. van Strijp.	1067
Invasion and persistent intracellular colonization of erythrocytes: a unique parasitic strategy of the emerging pathogen Bartonella Ralf Schüle, Anja Seubert, Clirístian Gille, Christa Lanz, Yves Hansmann, Yves Piémont, and Christoph Dehio.	1077
Signal transducer and activator of transcription 6 controls chemokine production and T helper cell type 2 cell trafficking in allergic pulmonary inflammation Anuja Mathew, James A. MacLean, Elliot DeHaan, Andreiv M. Tager, Francis H. Y. Green, and Andrew D. Luster.	1087
<b>BRIEF DEFINITIVE REPORTS</b>	
The exocytosis-regulatory protein synaptotagmin VII mediates cell invasion by Trypanosoma cruzi Elisabet V. Caler, Sabyasachi Chakrabarti, Kíniber Jy T. Fowler, Swathi Rao, and Norina W. Andrews.	1097
The CCP7 ligand ELC (CCL19) is transcytosed in high endothelial venules and mediates T cell recruitment Esopen S. Baekkevold, Takeshi Yantanaka, Roger T. Palframan, Hege S. Carlsen, Finn P. Reinholt, Orich H. von Andrian, Per Brandtzaeg, and	1105

Guttorm Haraldsen.	
--------------------	--