



Lo más reciente sobre COVID-19



- SARS-CoV-2 neutralizing antibody LY-CoV555 in outpatients with Covid-19
- No-fault compensation for vaccine injury — The other side of equitable access to Covid-19 vaccines



- SARS-CoV-2 seroprevalence and transmission risk factors among high-risk close contacts: a retrospective cohort study
- What defines an efficacious COVID-19 vaccine? A review of the challenges assessing the clinical efficacy of vaccines against SARS-CoV-2



- Risk of hospital admission with coronavirus disease 2019 in healthcare workers and their households: nationwide linkage cohort study
- Harms of public health interventions against Covid-19 must not be ignored



- Repeated cross-sectional sero-monitoring of SARS-CoV-2 in New York City
- Age-specific mortality and immunity patterns of SARS-CoV-2



- Laboratory findings associated with severe illness and mortality among hospitalized individuals with coronavirus disease 2019 in eastern Massachusetts
- Peripheral oxygen saturation in older persons wearing nonmedical face masks in community settings



- Robust neutralizing antibodies to SARS-CoV-2 infection persist for months
- Prothrombotic autoantibodies in serum from patients hospitalized with COVID-19



- Effect of timing of and adherence to social distancing measures on COVID-19 burden in the United States: a simulation modeling approach
- Update alert: Use of N95, surgical, or cloth masks to prevent COVID-19 in health care and community settings: living practice points from the American College of Physicians (Version 1)



- Comparative sensitivity of different respiratory specimen types for molecular diagnosis and monitoring of SARS-CoV-2 shedding in COVID-19 patients
- Quick COVID-19 healers sustain anti-SARS-CoV-2 antibody production

¡Encuentra más información en el sitio COVID-19 del portal INSP!



insp.mx